

THE CLAIMS

- 1 1. (previously presented) A golf club head, comprising:
2 a face member having a striking face and a rear surface opposite said striking face, said
3 rear surface having a first perimeter profile;
4 a dampening member coupled to said rear surface and having a perimeter profile that is
5 substantially the same as said face member perimeter profile; and
6 a body member coupled to said dampening member;
7 wherein said dampening member has a thickness from approximately 0.02 inch to
8 approximately 1 inch;
9 wherein said dampening member includes one or more of rubber, urethane, polyurethane,
10 butadiene, polybutadiene, and silicone; and
11 wherein said face member is substantially isolated from said body member by said
12 dampening member.
- 1 2. (original) The golf club head of claim 1, wherein said face member is formed of
2 aluminum or an aluminum alloy, and said body member is formed of steel.
- 1 3. (original) The golf club head of claim 1, wherein said body member includes a hosel for
2 attaching a shaft to the club head.
- 1 4. (original) The golf club head of claim 1, wherein said dampening member is coupled to
2 substantially all of said rear surface.
- 1 5. (original) The golf club head of claim 4, further including mechanical fasteners coupling
2 said face member, said dampening member, and said body member.

1 6. (previously presented) The golf club head of claim 1, wherein said face member is
2 completely isolated from said body member by said dampening member.

1 7. (original) The golf club head of claim 6, wherein said face member is completely
2 isolated from said body member by said dampening member.

1 8. (previously presented) The golf club head of claim 1, wherein said dampening member
2 is coupled to said face member and said body member by an adhesive.

1 9. (canceled)

1 10. (previously presented) The golf club head of claim 1, wherein said thickness is from
2 approximately 0.03 inch to approximately 0.08 inch.

1 11. (original) The golf club head of claim 1, wherein the face member has a thickness from
2 approximately 0.05 inch to approximately 0.25 inch.

1 12. (original) The golf club head of claim 11, wherein said thickness is from approximately
2 0.1 inch to approximately 0.2 inch.

1 13. (original) The golf club head of claim 1, wherein the golf club head is a putter head.

1 14-18. (canceled)

1 19. (previously presented) The golf club head of claim 1, wherein said dampening member
2 has a uniform thickness.

1 20. (previously presented) The golf club head of claim 1, wherein said face member is in
2 partial contact with said body member.

1 21. (currently amended) The golf club head of claim 1, wherein said dampening member is a
2 different color than said face member and said body member.

1 22. (currently amended) ~~[[A]] The golf club head of claim 1, comprising:~~
2 ~~a face member having a striking face and a rear surface opposite said striking face, said~~
3 ~~rear surface having a first perimeter profile;~~
4 ~~a dampening member coupled to said rear surface and having a perimeter profile that is~~
5 ~~substantially the same as said face member perimeter profile; and~~
6 ~~a body member coupled to said dampening member;~~
7 wherein said dampening member is comprised of different materials in toe, center, and
8 heel portions thereof.

1 23-24. (canceled)

1 25. (previously presented) The golf club head of claim 22, wherein said face member, said
2 dampening member, and said body member are coupled such that each component is visible to
3 the user at the address position.